

Appendix to

“Simulation Evaluation of Emerging Estimation Techniques for Multinomial Probit Models”

by

Priyadarshan N. Patil
The University of Texas at Austin
Department of Civil, Architectural and Environmental Engineering
301 E. Dean Keeton St. Stop C1761, Austin, TX 78712, USA
Phone: 1-512-471-4535, Email: priyadarshan@utexas.edu

Subodh K. Dubey
University of South Australia
Institute for Choice
140 Arthur St, Level 13, North Sydney, NSW 2060, Australia
Phone: +61-426-580-105, Email: subbits@gmail.com

Abdul R. Pinjari
University of South Florida
Department of Civil and Environmental Engineering
4202 E Fowler Ave, ENB 118, Tampa, FL 33620, USA
Phone: 1-813-974-9671, Email: apinjari@usf.edu

Elisabetta Cherchi (corresponding author)
Newcastle University
School of Civil Engineering and Geosciences
Transport Operations Research Group (TORG)
Cassie Building, Room 2.21, Newcastle upon Tyne, NE1 7RU, UK
Phone: +44 (0) 191 208 3501, Email: Elisabetta.Cherchi@newcastle.ac.uk

Ricardo Daziano
Cornell University
School of Civil and Environmental Engineering
305 Hollister Hall, Ithaca NY 14853, USA
Phone: 1-607-255-2018, Email: daziano@cornell.edu

Chandra R. Bhat
The University of Texas at Austin
Department of Civil, Architectural and Environmental Engineering
301 E. Dean Keeton St. Stop C1761, Austin, TX 78712, USA
Phone: 1-512-471-4535, Email: bhat@mail.utexas.edu

Table 1a: Evaluation of the ability to recover true parameters for the cross-sectional diagonal case

Parameter	True Value	MACML Method					GHK-MSL Method					GHK-SGI Method					MCMC Method				
		Parameter Estimates		Standard Error Estimate		RMSE	Parameter Estimates		Standard Error Estimate		RMSE	Parameter Estimates		Standard Error Estimate		RMSE	Parameter Estimates		Standard Error Estimate		RMSE
		Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error
Mean values of the β vector																					
b_1	1.500	1.510	0.68%	0.202	0.183	0.209	1.518	1.23%	0.238	0.221	0.235	1.535	2.32%	0.186	0.174	0.196	1.442	3.89%	0.315	0.354	0.164
b_2	-1.000	-0.993	0.68%	0.274	0.252	0.264	-1.013	1.33%	0.369	0.346	0.347	-0.977	2.32%	0.334	0.299	0.308	-0.957	4.29%	0.175	0.189	0.258
b_3	2.000	1.988	0.60%	0.321	0.299	0.327	1.976	1.21%	0.304	0.290	0.307	1.956	2.18%	0.265	0.250	0.278	2.093	4.65%	0.213	0.229	0.233
b_4	1.000	1.006	0.61%	0.155	0.147	0.160	0.987	1.31%	0.346	0.306	0.309	1.021	2.11%	0.330	0.318	0.326	0.955	4.48%	0.143	0.148	0.274
b_5	-2.000	-2.014	0.71%	0.238	0.225	0.257	-1.977	1.16%	0.262	0.241	0.263	-2.048	2.41%	0.287	0.265	0.293	-1.923	3.85%	0.295	0.306	0.246
Covariance matrix of the β vector																					
Ω_{11}	1.000	1.028	2.81%	0.343	0.337	0.350	0.953	4.67%	0.536	0.578	0.574	0.962	3.77%	0.485	0.450	0.459	1.032	3.22%	0.146	0.147	0.385
Ω_{12}	0.000	-0.030	3.04%	0.457	0.458	0.467	0.053	5.34%	0.579	0.599	0.593	0.034	3.41%	0.524	0.498	0.504	-0.027	2.71%	0.180	0.188	0.423
Ω_{13}	0.000	0.040	3.96%	0.281	0.296	0.302	0.046	4.58%	0.480	0.496	0.491	0.034	3.44%	0.457	0.419	0.424	-0.038	3.83%	0.212	0.222	0.356
Ω_{14}	0.000	-0.039	3.86%	0.405	0.397	0.405	0.046	4.58%	0.530	0.525	0.520	-0.028	2.85%	0.528	0.506	0.512	0.029	2.90%	0.303	0.317	0.430
Ω_{15}	0.000	0.030	3.00%	0.279	0.299	0.305	-0.050	5.01%	0.529	0.563	0.558	0.028	2.85%	0.487	0.452	0.457	0.034	3.38%	0.240	0.252	0.384
Ω_{22}	1.000	0.971	2.94%	0.417	0.427	0.440	1.047	4.72%	0.484	0.494	0.492	1.035	3.48%	0.510	0.504	0.513	0.965	3.53%	0.189	0.198	0.430
Ω_{23}	0.000	-0.039	3.86%	0.448	0.460	0.469	0.050	5.01%	0.460	0.477	0.472	0.028	2.78%	0.544	0.526	0.532	0.026	2.55%	0.300	0.313	0.446
Ω_{24}	0.000	0.031	3.14%	0.318	0.329	0.336	0.054	5.42%	0.494	0.526	0.520	-0.037	3.71%	0.421	0.408	0.412	-0.035	3.48%	0.289	0.306	0.346
Ω_{25}	0.000	0.031	3.10%	0.333	0.327	0.334	0.044	4.39%	0.411	0.435	0.430	0.031	3.08%	0.449	0.442	0.448	0.036	3.63%	0.210	0.212	0.376
Ω_{33}	1.000	0.962	3.80%	0.319	0.341	0.352	1.041	4.10%	0.465	0.491	0.490	1.032	3.21%	0.442	0.400	0.409	1.037	3.67%	0.161	0.158	0.344
Ω_{34}	0.000	0.029	2.90%	0.283	0.281	0.287	0.040	4.01%	0.598	0.600	0.594	-0.034	3.38%	0.572	0.531	0.537	-0.027	2.68%	0.184	0.186	0.451
Ω_{35}	0.000	0.031	3.10%	0.369	0.362	0.370	-0.049	4.87%	0.449	0.456	0.452	0.037	3.67%	0.523	0.515	0.521	0.034	3.45%	0.320	0.323	0.438
Ω_{44}	1.000	1.026	2.64%	0.328	0.334	0.346	0.955	4.53%	0.521	0.529	0.526	0.968	3.24%	0.565	0.558	0.568	0.974	2.58%	0.203	0.208	0.476
Ω_{45}	0.000	-0.033	3.27%	0.455	0.446	0.456	0.053	5.29%	0.563	0.554	0.549	-0.034	3.41%	0.490	0.463	0.469	0.027	2.71%	0.258	0.273	0.393
Ω_{55}	1.000	1.039	3.86%	0.424	0.453	0.467	1.051	5.09%	0.581	0.600	0.597	0.966	3.38%	0.411	0.406	0.414	0.965	3.54%	0.306	0.297	0.348
Overall Mean Value Across	-	-	2.64%	0.330	0.333	0.345	-	3.89%	0.458	0.460	0.466	-	3.05%	0.438	0.418	0.429	-	3.45%	0.232	0.238	0.364
Mean Time	1.03					1.39					1.17					5.31					
Std. dev of Time	0.14					0.27					0.19					1.06					
% of Runs Converged	100%					100%					100%					100%					

Table 1b: Evaluation of the ability to recover true parameters for the cross-sectional non-diagonal case

Parameter	True Value	MACML Method					GHK-MSL Method					GHK-SGI Method					MCMC Method				
		Parameter Estimates		Standard Error Estimate		RMSE	Parameter Estimates		Standard Error Estimate		RMSE	Parameter Estimates		Standard Error Estimate		RMSE	Parameter Estimates		Standard Error Estimate		RMSE
		Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error
Mean values of the β vector																					
b_1	1.500	1.511	0.76%	0.346	0.369	0.378	1.513	0.88%	0.301	0.306	0.390	1.487	0.84%	0.364	0.328	0.439	1.482	1.18%	0.373	0.419	0.696
b_2	-1.000	-1.008	0.77%	0.236	0.234	0.240	-0.991	0.87%	0.311	0.318	0.397	-1.009	0.86%	0.218	0.209	0.280	-0.989	1.10%	0.259	0.291	0.482
b_3	2.000	1.986	0.71%	0.288	0.301	0.321	2.018	0.88%	0.334	0.353	0.457	1.984	0.81%	0.296	0.280	0.390	2.022	1.08%	0.222	0.243	0.438
b_4	1.000	0.993	0.66%	0.190	0.188	0.195	0.992	0.77%	0.302	0.323	0.403	0.992	0.77%	0.229	0.209	0.279	0.989	1.12%	0.391	0.442	0.726
b_5	-2.000	-2.013	0.67%	0.310	0.337	0.357	-1.983	0.86%	0.321	0.333	0.435	-2.015	0.74%	0.306	0.288	0.399	-2.023	1.13%	0.320	0.363	0.620
Covariance matrix of the β vector																					
Ω_{11}	1.000	1.043	4.34%	0.286	0.394	0.398	0.937	6.29%	0.401	0.356	0.443	1.046	4.64%	0.282	0.299	0.394	1.207	20.67%	0.308	0.353	0.585
Ω_{12}	-0.500	-0.479	4.30%	0.192	0.267	0.268	-0.474	5.22%	0.480	0.445	0.549	-0.478	4.49%	0.319	0.360	0.466	-0.612	22.45%	0.263	0.304	0.498
Ω_{13}	0.250	0.259	3.70%	0.153	0.203	0.203	0.262	4.99%	0.356	0.337	0.415	0.236	5.49%	0.209	0.224	0.289	0.308	23.31%	0.194	0.242	0.396
Ω_{14}	0.750	0.780	3.94%	0.220	0.292	0.295	0.791	5.49%	0.318	0.297	0.370	0.778	3.75%	0.181	0.207	0.274	0.587	21.75%	0.267	0.336	0.550
Ω_{15}	0.000	0.041	4.14%	0.305	0.420	0.419	0.059	5.86%	0.379	0.330	0.406	0.055	5.45%	0.299	0.318	0.411	0.224	22.39%	0.180	0.219	0.358
Ω_{22}	1.000	0.957	4.34%	0.247	0.318	0.323	1.047	4.67%	0.364	0.335	0.419	1.040	4.03%	0.348	0.392	0.512	1.197	19.73%	0.231	0.283	0.474
Ω_{23}	0.250	0.241	3.54%	0.318	0.426	0.425	0.264	5.49%	0.314	0.291	0.358	0.238	4.61%	0.186	0.202	0.261	0.311	24.54%	0.277	0.349	0.569
Ω_{24}	-0.500	-0.477	4.66%	0.304	0.389	0.388	-0.522	4.41%	0.368	0.320	0.396	-0.522	4.46%	0.162	0.174	0.229	-0.601	20.24%	0.292	0.342	0.559
Ω_{25}	0.000	0.043	4.26%	0.254	0.355	0.355	0.049	4.90%	0.345	0.308	0.380	0.054	5.39%	0.275	0.294	0.380	0.209	20.88%	0.273	0.330	0.537
Ω_{33}	1.000	1.035	3.46%	0.159	0.208	0.216	1.051	5.11%	0.360	0.341	0.426	1.055	5.53%	0.222	0.236	0.315	1.197	19.73%	0.266	0.316	0.527
Ω_{34}	0.333	0.317	3.82%	0.319	0.437	0.437	0.347	5.00%	0.363	0.327	0.404	0.315	4.55%	0.336	0.377	0.488	0.400	21.31%	0.261	0.307	0.501
Ω_{35}	0.000	0.037	3.66%	0.176	0.228	0.227	0.061	6.08%	0.476	0.418	0.515	0.049	4.92%	0.218	0.245	0.316	0.213	21.31%	0.289	0.358	0.583
Ω_{44}	1.000	1.041	4.14%	0.159	0.201	0.209	1.053	5.27%	0.434	0.385	0.480	0.952	4.78%	0.278	0.319	0.418	0.770	23.04%	0.354	0.422	0.691
Ω_{45}	0.000	-0.037	3.70%	0.260	0.333	0.332	0.058	5.76%	0.466	0.434	0.534	-0.042	4.17%	0.320	0.354	0.457	0.172	17.22%	0.280	0.328	0.534
Ω_{55}	1.000	1.037	3.66%	0.145	0.186	0.195	1.062	6.19%	0.352	0.321	0.403	1.041	4.13%	0.305	0.351	0.460	0.757	24.33%	0.250	0.302	0.497
Overall Mean Value Across	-	-	3.16%	0.251	0.303	0.309	-	4.25%	0.358	0.341	0.429	-	3.72%	0.274	0.285	0.373	-	16.43%	0.279	0.328	0.541
Mean Time	2.58					3.17					3.02					6.44					
Std. dev of Time	0.38					0.62					0.45					1.22					
% of Runs Converged	100%					100%					100%					100%					

Table 1c: Evaluation of the ability to recover true parameters for the panel diagonal case

Parameter	True Value	MACML Method					GHK-MSL Method					GHK-CML Method					GHK-SGI Method					MCMC Method				
		Parameter Estimates		Standard Error Estimate	RMSE		Parameter Estimates		Standard Error Estimate	RMSE		Parameter Estimates		Standard Error Estimate	RMSE		Parameter Estimates		Standard Error Estimate	RMSE		Parameter Estimates		Standard Error Estimate	RMSE	
		Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error
Mean values of the β vector																										
b_1	1.500	1.474	1.76%	0.123	0.145	0.182	1.448	3.47%	0.267	0.280	0.443	1.471	2.02%	0.207	0.199	0.294	1.841	22.76%	0.180	0.165	0.643	1.402	6.52%	0.188	0.199	0.441
b_2	-1.000	-1.016	1.60%	0.121	0.146	0.173	-0.962	3.79%	0.210	0.223	0.347	-1.020	2.02%	0.211	0.195	0.278	-0.756	24.35%	0.246	0.229	0.784	-1.063	6.33%	0.175	0.192	0.418
b_3	2.000	1.970	1.52%	0.246	0.297	0.352	2.066	3.29%	0.125	0.136	0.267	1.957	2.22%	0.131	0.123	0.222	2.428	21.39%	0.065	0.059	0.468	2.129	6.45%	0.147	0.155	0.410
b_4	1.000	0.982	1.76%	0.191	0.225	0.256	1.033	3.33%	0.200	0.205	0.324	0.977	2.38%	0.159	0.219	0.279	0.779	22.08%	0.090	0.084	0.318	1.065	6.45%	0.174	0.182	0.396
b_5	-2.000	-2.030	1.52%	0.120	0.137	0.192	-2.064	3.22%	0.197	0.206	0.357	-2.039	2.00%	0.292	0.281	0.414	-2.423	21.17%	0.168	0.163	0.707	-2.133	6.64%	0.115	0.122	0.360
Covariance matrix of the β vector																										
$Q11$	1.000	1.030	2.98%	0.249	0.277	0.313	0.902	9.82%	0.279	0.278	0.428	1.045	4.51%	0.263	0.268	0.373	1.318	31.82%	0.116	0.112	0.458	0.925	7.53%	0.216	0.239	0.506
$Q12$	0.000	0.041	4.15%	0.141	0.165	0.182	-0.072	7.17%	0.339	0.314	0.474	0.045	4.51%	0.229	0.219	0.298	0.290	28.99%	0.210	0.208	0.701	0.108	10.79%	0.229	0.249	0.516
$Q13$	0.000	-0.030	3.05%	0.206	0.251	0.277	0.072	7.17%	0.187	0.178	0.270	0.057	5.78%	0.202	0.197	0.268	-0.306	30.56%	0.100	0.099	0.339	-0.088	8.80%	0.225	0.241	0.498
$Q14$	0.000	-0.041	4.11%	0.172	0.196	0.217	-0.074	7.43%	0.227	0.208	0.314	0.052	5.25%	0.143	0.149	0.202	0.299	29.93%	0.249	0.262	0.882	0.093	9.25%	0.239	0.257	0.531
$Q15$	0.000	0.034	3.44%	0.312	0.352	0.388	-0.101	10.09%	0.236	0.237	0.359	0.043	4.35%	0.266	0.261	0.354	0.280	28.04%	0.188	0.187	0.633	-0.082	8.16%	0.091	0.096	0.199
$Q22$	1.000	1.035	3.55%	0.301	0.336	0.376	1.102	10.17%	0.358	0.352	0.540	1.057	5.73%	0.275	0.270	0.375	1.268	26.78%	0.170	0.167	0.607	1.073	7.35%	0.095	0.096	0.235
$Q23$	0.000	0.032	3.19%	0.321	0.389	0.429	-0.092	9.20%	0.209	0.209	0.316	0.053	5.36%	0.289	0.303	0.411	0.258	25.84%	0.161	0.168	0.566	0.095	9.52%	0.276	0.288	0.595
$Q24$	0.000	0.030	3.01%	0.216	0.242	0.267	0.092	9.20%	0.281	0.258	0.390	0.059	5.94%	0.190	0.197	0.268	0.353	35.29%	0.113	0.113	0.385	0.091	9.07%	0.121	0.129	0.267
$Q25$	0.000	-0.043	4.25%	0.189	0.216	0.238	0.072	7.17%	0.363	0.353	0.533	0.050	5.04%	0.293	0.292	0.396	-0.293	29.30%	0.071	0.070	0.242	-0.082	8.16%	0.112	0.116	0.240
$Q33$	1.000	1.036	3.62%	0.298	0.357	0.399	1.093	9.29%	0.272	0.268	0.417	1.047	4.72%	0.277	0.280	0.389	0.745	25.52%	0.257	0.249	0.848	0.907	9.34%	0.106	0.114	0.257
$Q34$	0.000	-0.034	3.37%	0.222	0.267	0.295	0.074	7.43%	0.233	0.226	0.341	0.062	6.31%	0.243	0.250	0.339	0.340	34.03%	0.118	0.121	0.414	-0.080	7.98%	0.087	0.090	0.186
$Q35$	0.000	0.039	3.90%	0.296	0.350	0.386	0.098	9.82%	0.210	0.195	0.295	0.048	4.83%	0.247	0.240	0.326	0.268	26.78%	0.077	0.080	0.274	0.084	8.44%	0.194	0.199	0.411
$Q44$	1.000	1.038	3.79%	0.245	0.295	0.332	1.103	10.26%	0.209	0.201	0.319	0.947	5.36%	0.202	0.195	0.274	0.622	37.81%	0.130	0.127	0.445	1.095	9.52%	0.167	0.172	0.380
$Q45$	0.000	-0.028	2.84%	0.186	0.210	0.232	-0.094	9.38%	0.329	0.328	0.495	-0.063	6.36%	0.223	0.230	0.312	-0.325	32.45%	0.205	0.202	0.682	0.085	8.53%	0.197	0.199	0.411
$Q55$	1.000	1.041	4.15%	0.246	0.297	0.334	0.901	9.91%	0.316	0.295	0.453	1.047	4.72%	0.258	0.250	0.350	0.720	28.04%	0.236	0.235	0.803	1.097	9.70%	0.196	0.216	0.463
Overall Mean Value Across Parameters	-	-	3.08%	0.221	0.256	0.291	-	7.53%	0.252	0.253	0.384	-	7.53%	0.229	0.234	0.318	-	28.15%	0.159	0.164	0.560	-	8.23%	0.170	0.181	0.386
Mean Time	18.86					30.65					20.6					32.77					7.02					
Std. dev of Time	2.95					5.54					3.58					5.08					1.13					
% of Runs Converged	100%					100%					100%					100%					100%					

Table 1d: Evaluation of the ability to recover true parameters for the panel non-diagonal case

Parameter	True Value	MACML Method					GHK-MSL Method					GHK-CML Method					GHK-SGI Method					MCMC Method				
		Parameter Estimates		Standard Error Estimate	RMSE		Parameter Estimates		Standard Error Estimate	RMSE		Parameter Estimates		Standard Error Estimate	RMSE		Parameter Estimates		Standard Error Estimate	RMSE		Parameter Estimates		Standard Error Estimate	RMSE	
		Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error	Mean Estimate	Absolute Percentage Bias	Asymptotic Standard Error	Finite Sample Standard Error	Root Mean Square Error
Mean values of the β vector																										
<i>b</i> 1	1.500	1.467	2.21%	0.307	0.287	0.495	1.554	3.63%	0.171	0.196	0.403	1.545	2.85%	0.156	0.160	0.294	1.874	24.96%	0.145	0.111	0.710	1.558	3.86%	0.225	0.284	0.700
<i>b</i> 2	-1.000	-1.022	2.21%	0.168	0.158	0.279	-0.959	4.13%	0.188	0.220	0.421	-0.968	3.02%	0.134	0.148	0.253	-1.245	24.48%	0.157	0.120	0.643	-0.968	3.23%	0.167	0.225	0.544
<i>b</i> 3	2.000	2.042	2.10%	0.225	0.218	0.412	1.925	3.75%	0.113	0.139	0.331	2.061	2.93%	0.233	0.254	0.450	2.433	21.66%	0.174	0.132	0.877	1.932	3.40%	0.087	0.108	0.358
<i>b</i> 4	1.000	0.979	2.12%	0.183	0.178	0.307	0.960	4.01%	0.219	0.248	0.472	0.972	2.69%	0.242	0.249	0.411	0.746	25.43%	0.176	0.137	0.663	1.036	3.61%	0.223	0.281	0.677
<i>b</i> 5	-2.000	-1.950	2.51%	0.116	0.110	0.250	-1.924	3.78%	0.260	0.297	0.591	-2.062	2.96%	0.285	0.290	0.510	-1.491	25.43%	0.197	0.150	0.789	-2.063	3.16%	0.200	0.252	0.661
Covariance matrix of the β vector																										
<i>Q</i> 11	1.000	0.954	4.59%	0.095	0.112	0.207	1.101	10.05%	0.291	0.255	0.489	0.936	6.87%	0.132	0.139	0.241	1.420	42.02%	0.098	0.081	0.517	1.290	29.03%	0.154	0.166	0.422
<i>Q</i> 12	-0.500	-0.521	4.18%	0.115	0.130	0.220	-0.448	10.33%	0.163	0.142	0.267	-0.530	6.40%	0.197	0.213	0.348	-0.694	38.84%	0.130	0.103	0.510	-0.627	25.37%	0.226	0.244	0.579
<i>Q</i> 13	0.250	0.241	3.58%	0.198	0.224	0.371	0.223	10.61%	0.260	0.230	0.428	0.230	8.51%	0.093	0.100	0.164	0.144	42.37%	0.179	0.141	0.654	0.198	20.92%	0.219	0.227	0.534
<i>Q</i> 14	0.750	0.775	3.30%	0.201	0.235	0.397	0.808	7.80%	0.271	0.231	0.438	0.801	7.42%	0.243	0.251	0.411	0.498	33.54%	0.147	0.116	0.551	0.950	26.67%	0.091	0.097	0.259
<i>Q</i> 15	0.000	0.043	4.35%	0.186	0.199	0.331	0.112	11.18%	0.249	0.212	0.394	0.071	7.73%	0.238	0.241	0.389	0.300	30.01%	0.218	0.180	0.837	-0.282	28.24%	0.178	0.190	0.448
<i>Q</i> 22	1.000	1.037	3.70%	0.219	0.253	0.430	1.095	9.49%	0.226	0.197	0.383	0.915	9.21%	0.258	0.281	0.463	1.417	41.66%	0.220	0.178	0.905	1.272	27.20%	0.148	0.158	0.406
<i>Q</i> 23	0.250	0.262	4.75%	0.156	0.171	0.284	0.276	10.24%	0.301	0.266	0.495	0.230	8.51%	0.173	0.177	0.287	0.179	28.25%	0.138	0.109	0.503	0.304	21.44%	0.235	0.255	0.601
<i>Q</i> 24	-0.500	-0.522	4.43%	0.222	0.243	0.406	-0.450	9.96%	0.189	0.163	0.306	-0.529	6.32%	0.167	0.172	0.282	-0.673	34.60%	0.074	0.060	0.329	-0.361	27.72%	0.170	0.183	0.432
<i>Q</i> 25	0.000	0.047	4.75%	0.207	0.226	0.374	-0.092	9.20%	0.303	0.273	0.507	0.069	7.42%	0.222	0.231	0.373	0.342	34.25%	0.253	0.199	0.923	0.209	20.92%	0.132	0.136	0.321
<i>Q</i> 33	1.000	1.034	3.38%	0.115	0.134	0.239	0.896	10.43%	0.207	0.173	0.335	1.068	7.34%	0.107	0.112	0.206	0.682	31.78%	0.070	0.054	0.302	1.248	24.84%	0.283	0.285	0.690
<i>Q</i> 34	0.333	0.344	4.35%	0.118	0.129	0.217	0.359	8.92%	0.164	0.143	0.269	0.305	8.12%	0.205	0.209	0.339	0.197	40.25%	0.135	0.108	0.500	0.235	28.76%	0.265	0.264	0.622
<i>Q</i> 35	0.000	0.041	4.14%	0.203	0.231	0.383	0.094	9.39%	0.160	0.135	0.251	0.080	8.67%	0.175	0.193	0.312	0.339	33.90%	0.113	0.093	0.439	0.267	26.67%	0.148	0.162	0.383
<i>Q</i> 44	1.000	0.958	4.18%	0.122	0.136	0.243	0.908	9.20%	0.250	0.223	0.424	0.931	7.50%	0.189	0.200	0.335	1.304	30.36%	0.113	0.092	0.541	0.718	28.24%	0.197	0.212	0.506
<i>Q</i> 45	0.000	-0.036	3.62%	0.091	0.107	0.177	0.113	11.27%	0.280	0.239	0.444	-0.060	6.48%	0.261	0.282	0.456	0.385	38.49%	0.179	0.143	0.669	-0.241	24.06%	0.193	0.196	0.460
<i>Q</i> 55	1.000	0.961	3.90%	0.153	0.172	0.299	1.112	11.18%	0.136	0.119	0.252	1.086	9.29%	0.191	0.199	0.338	1.395	39.54%	0.183	0.142	0.756	0.689	31.12%	0.211	0.225	0.538
Overall Mean Value Across Parameters	-	-	3.62%	0.168	0.184	0.316	-	8.34%	0.222	0.214	0.395	-	6.14%	0.199	0.211	0.343	-	33.09%	0.157	0.125	0.631	-	20.42%	0.193	0.206	0.507
Mean Time	23.09					44.98					27.29					49.37					8.97					
Std. dev of Time	3.58					7.82					4.55					8.37					1.79					
% of Rms Converged	100%					100%					100%					100%					100%					